



## SPECIFICATIONS

### 1 General

Part Number	Description
WP ROS-750	VCO 670MHz~750MHz

### 2 Revision History

Revision	Released	Revision Detail
R1	2024-7-18	Initial release

### 3 Maximum Ratings


Item	Value	Units
Supply Voltage	7	V
Tuning Voltage	7	V
Operating Temperature	-55~ +85	°C
Storage Temperature	-55~ +100	°C

### 4 Electrical Specification

Item	Minimum	Typical	Maximum	Unit
Output Frequency	670		750	MHz
Output Power		+3		dBm
Tuning Voltage	0.5		5	V
Tuning Sensitivity		27-32		MHz/V
Harmonic Suppression		-30	-20	dBc
Phase Noise		-82@1kHz		dBc/Hz
		-107 @10kHz		
		-128 @100kHz		
Supply Voltage		5		V
Current Consumption		26		mA



5 Package Dimension (Unit: mm)



Unit: mm

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S	T
12.7	12.7	4.6	2.54	2.03	2.92	1.52	1.02	13.72	1.52	2.54	3.43	3.43	2.92	3.56	1.78	3.81	1.78

Pin#	Function
2	Tuning Voltage (VT)
10	Output (RF)
14	Power Supply (VCC)
1, 3, 4, 5, 6, 7, 8, 9, 11, 12, 13, 15, 16	Ground (GND)



## 6 Welding Requirements (Reflow Profile)

